


A precise and less hazardous method to determine chlorine stable isotope composition in aqueous samples

Andreas Auernhammer^{1,2}, Michael Seidel¹, Martin Elsner¹, Florian Eichinger², Siegmund Ertl²


¹Chair of Analytical Chemistry and Water Chemistry, School of Natural Sciences, Technical University of Munich, Garching, Germany

²Hydroisotop GmbH, Schweitenkirchen, Germany


Objectives



Lorem ipsum dolor sit amet, consectetuer




Lorem ipsum dolor sit amet, consectetuer



Lorem ipsum dolor sit amet, consectetuer


Motivation

Instrumental setup



Schematic representation of HS-GC-qMS-CF-IRMS

Sample Preparation



Motivation

Objectives

Contact



A.Auernhammer@TUM.de
Group member Bioanalytics and Microanalytical Systems

- 1) Ertl, S.; Eichinger, F.; Pichlmaier, J.; Voropaev, A. A new method to determine $\delta^{37}\text{Cl}$ values of chloride in aquatic systems. *Grundwasser* 2024, 1-9.
- 2) Eggenkamp, H.; Bonifacie, M.; Ader, M.; Agrinier, P. Experimental determination of stable chlorine and bromine isotope fractionation during precipitation of salt from a saturated solution. *Chemical Geology* 2016, 433, 46-56.

In cooperation with



AA@Hydroisotop.de